

STUDIES IN THE GESNERIACEAE OF THE OLD WORLD

LII. Index to the series

B. L. BURTT

The series of papers published under the above title is now closed. This does not signify cessation of work on the group, but rather the realization that after 25 years a string of small papers needs a general index if the information is to remain accessible. A forthcoming change in the format of this journal also makes it appropriate to issue the index now.

Part I, 21: 185-192 (1954); **II**, 21: 193-208 (1954); **III**, 21: 209-212 (1954); **IV**, 21: 213-214 (1954); **V**, 21: 215-218 (1954); **VI**, 21: 229-232 (1955); **VII**, 21: 232-234 (1955); **VIII**, 21: 234-238 (1956); **IX**, 21: 238-240 (1956); **X**, 22: 61-64 (1956); **XI**, 22: 287-299 (1958); **XII**, 22: 300-303 (1958); **XIII**, 22: 305-314 (1958); **XIV**, 22: 315-317 (1958); **XV**, 22: 547-568 (1958); **XVI**, 22: 569-579 (1958); **XVII**, 22: 581-582 (1958); **XVIII**, 23: 89-90 (1960); **XIX**, 23: 91-93 (1960); **XX**, 23: 94-102 (1960); **XXI**, 24: 35-39 (1962); **XXII**, 24: 41-49 (1962); **XXIII**, 24: 167-171 (1962); **XXIV**, 24: 205-220 (1963); **XXV**, 25: 191-195 (1964); **XXVI**, 26: 261-268 (1965); **XXVII**, 28: 209-215 (1968); **XXVIII**, 28: 217-218 (1968); **XXIX**, 28: 219-225 (1968); **XXX**, 29: 39-58 (1969); **XXXI**, 30: 1-10 (1970); **XXXII**, 30: 11-21 (1970); **XXXIII**, 30: 23-42 (1970); **XXXIV**, 31: 35-52 (1971); **XXXV**, 31: 367-371 (1972); **XXXVI**, 32: 397-402 (1973); **XXXVII**, 33: 265-267 (1974); **XXXVIII**, 33: 467-469 (1975); **XXXIX**, 33: 471-489 (1975); **XL**, 34: 101-105 (1975); **XLI**, 35: 369-374 (1977); **XLII**, 35: 375-376 (1977); **XLIII**, 36: 151-155 (1978); **XLIV**, 36: 157-179 (1978); **XLV**, 37: 1-59 (1978); **XLVI**, 37: 153-156 (1978); **XLVII**, 41: 401-452 (1984); **XLVIII**, 41: 453-456 (1984); **XLIX**, 43: 229-232 (1986); **L**, 46: 53-57 (1989); **LI**, 46: 321-322 (1990).

Acanthonema Hook., 24: 213
Aeschynanthus Jack, 21: 229; 22: 315; 24: 208;
 28: 219, 221; 29: 40; 30: 2; 33: 471
 sect. *Aeschynanthus*, 33: 475
 sect. *Anisocalyx* Schltr., 33: 477
 sect. *Diplotrichium* Benth., 33: 475, 476
 sect. *Haplotrichium* Benth., 33: 475, 476
 sect. *Holocalyx* Benth., 33: 475
 sect. *Microtrichium* C. B. Cl., 33: 475, 477,
 486
 sect. *Polytrichium* Benth., 33: 475, 477,
 478
albidus (Bl.) Steud., 33: 477, 479
asclepioides (Elm.) Burtt & Woods, 33: 480
atropurpureus Van Houtte, 33: 479
atrorubens Schltr., 21: 232
bracteatus DC., 21: 229, 230; 28: 222; 33: 476
bracteatus
 var. *peelii* (Hook. f. & Thoms.) C. B. Cl.,
 21: 230
breviflorus Ridl., 33: 482
cardinalis (Merrill) Schltr., 33: 486
ceylanicus Gardn., 33: 471
coccineus Fritsch, 33: 315
crassifolius (Elmer) Schltr., 33: 486
discolor T. Moore, 33: 479
ellipticus K. Schum. & Laut., 33: 474, 478
evardii Pellegr., 33: 472, 474
fecundus P. Woods, 33: 472, 482

fraserianus Kraenzlin, 33: 480
fulgens R. Br., 33: 476
gracilis C. B. Cl., 33: 473, 476
grandiflorus (D. Don) Spreng., 21: 231; 33:
 476
guttatus P. Woods, 33: 486
hartleyi P. Woods, 33: 477, 485
hildebrandii Hemsl., 33: 471, 476, 484
hookeri C. B. Cl., 33: 472
horsfieldii R. Br., 33: 485, 486
hosseusii Pellegr., 22: 317
irigaensis (Merrill) Burtt & Woods, 33: 486
kermesinus Schltr., 21: 232
lobbianus Hook., 22: 317
longicalyx Ridl., 33: 486
longicaulis R. Br., 33: 471, 474, 477, 481
maculatus Lindl., 22: 315, 316; 33: 473
magnificus Stapf, 33: 478, 486
marmoratus T. Moore, 33: 481
microcardia Burtt & Davidson, 21: 231
microtrichus C. B. Cl., 33: 477
miniaceus Burtt & Woods, 33: 486
miniatus Lindl., 33: 486
motleyi C. B. Cl., 33: 479
 var. *ceramensis* C. B. Cl., 33: 480
 var. *sumatrensis* C. B. Cl., 33: 480
musaensis P. Woods, 33: 487
myrmecophilus P. Woods, 33: 483
nervosus (Elmer) Schltr., 33: 486

- nummularius (Burkill & S. Moore) K. Schum., 33: 473, 478
oblongifolius (Roxb.) G. Don, 22: 307
pachyanthus Schltr., 33: 474, 477, 478
papuanus (Schltr.) B. L. Burtt, 28: 223; 33: 475, 476, 477
parasiticus (Roxb.) Wall., 21: 231; 33: 474, 475, 476
parviflorus (D. Don) G. Don, 33: 475
parviflorus Ridl., 33: 482
paxtonii Lindl., 21: 230
peelii Hook. f. & Thoms., 21: 230
philippinensis C. B. Cl., 33: 486
poilanei Pellegrin, 33: 484
pulcher (Bl.) G. Don, 33: 474
pullei Schltr., 33: 475
(Oxychlamys pullei Schltr.), 28: 222
purpurascens Hassk., 33: 479
rhododendron Ridley, 28: 222; 33: 486
sikkimensis (C. B. Cl.) Stapf, 22: 316; 33: 474
solomonensis P. Woods, 35: 375
speciosus Hook., 33: 474
× splendidus T. Moore, 33: 474
stenocalyx Kraenzlin, 33: 480
superbus C. B. Cl., 33: 476
tenericaulis Diels, 21: 232
trichocalyx Kraenzlin, 33: 485
vinaceus P. Woods, 33: 486, 488
viridiflorus Teijsm. & Binn., 33: 482
volubilis Jack, 33: 475
zebrinus Van Houtte, 33: 481
Agalmiella Blume, 24: 209; 28: 219, 223; 29: 52
angustifolia Miq., 28: 220
asperifolia Bl., 24: 41
beccarii C. B. Cl., 28: 220
borneensis (Schltr.) B. L. Burtt, 28: 224
bracteata (Stapf) B. L. Burtt, 28: 224
clarkei (Elmer) B. L. Burtt, 28: 224
johannis-winkleri (Kraenzl.) B. L. Burtt, 28: 224
parasitica (Lam.) O. Kuntze, 24: 209; 28: 219, 220
rubra (Merrill) B. L. Burtt, 28: 224
staminea Bl., 24: 209; 28: 220
tuberculata Hook. f., 28: 219
Ancylostemon Craib, 21: 194, 215; 24: 212
aureus (Franch.) B. L. Burtt, 22: 305
concavus Craib, 21: 194, 217; 22: 305
convexus Craib, 21: 217
laucifolius (Franch.) B. L. Burtt, 22: 305
mairei (Lévl.) Craib, 21: 217
notochlaena (Lévl. & Van.) Craib, 21: 216
purpureus Burtt & Davidson, 21: 216; 22: 305
saxatilis (Hemsl.) Craib, 21: 216
trichanthus Burtt & Davidson, 21: 217
vulpinus Burtt & Davidson, 21: 217
Anna Pellegrin, 21: 232; 24: 213
ophiorrhizoides (Hemsl.) Burtt & Davidson, 21: 233; 22: 305
submontana Pellegrin, 21: 232
Antonia R. Br., 24: 168
Argostemma havilandii Ridley, 24: 43
Asteranthera Klotzsch & Hanst., 24: 216
Babactes oblongifolia (Roxb.) DC., 22: 307
Beccarinda O. Kuntze, 22: 62; 24: 212, 215
argentea (Anthony) B. L. Burtt, 22: 63
cordifolia (Anthony) B. L. Burtt, 22: 63
griffithii (C. B. Cl.) O. Kuntze, 22: 64
sinensis (Chun) B. L. Burtt, 22: 63
tonkinensis (Pellegrin) B. L. Burtt, 22: 64
Bignonia albida Bl., 33: 479
Bilabium Miq., 21: 196
limans Miq., 21: 196
Boea Lam., 21: 194; 24: 214, 215; 30: 2, 4; 41: 401, 413
auct., 41: 422
sect. Caulescentes K. Fritsch, 21: 194; 41: 422
sect. Subcaules Fritsch, 21: 194
acutifolia Ridl., 41: 423
alata Pers., 41: 420
amplexicaulis C. B. Cl., 21: 207; 23: 89; 41: 445
amplexicaulis Parish MS, 21: 206
arachnoidea Diels, 22: 294; 41: 420
(Paraboea bettiana M. R. Henderson), 41: 420, 424
birmanica Stapf, 21: 196
brachycarpa Ridley, 41: 424
brettiana W. W. Sm., 31: 37; 41: 430
cardwellii F. Muell., 41: 421
caerulescens Ridl., 41: 425
cavaleriei Lévl. & Van., 41: 421
chaffonjonii Lévl., 41: 438
clarkeana Hemsl., 22: 306; 24: 215
cochinchinensis C. B. Cl., 41: 427
commersonii R. Br., 21: 194; 41: 416
crassifolia Hemsl., 41: 427
darrisii Lévl., 22: 296; 41: 421
dennisii B. L. Burtt, 41: 415
dictyoneura Hance, 41: 427
divaricata Ridl., 31: 35; 41: 428
elegans Ridl., 31: 35; 41: 428
elephantopoides Chun, 41: 418
esquirolii Lévl. & Van., 41: 421
ewardii Pellegrin, 41: 428
feddei Lévl., 22: 296; 41: 421
ferruginea Ridl., 41: 428
flocculosa C. B. Cl., 41: 434
geoffrayi Pellegrin, 41: 420
glabra Ridley, 22: 311; 41: 429
glabriflora Barnett, 41: 429
glabrisepala (B. L. Burtt) Barnett, 41: 429
glutinosa Hand.-Mazz., 41: 432
hancei C. B. Cl., 41: 427
harroviana Craib, 41: 427
havilandii Ridl., 30: 4; 31: 37; 41: 430
hemsleyana B. L. Burtt, 22: 306; 41: 415
herbacea C. B. Cl., 41: 409, 420
hians Burkill, 41: 417

- hygrometrica (Bunge) R. Br., 21: 194; 41: 419
- hygroscopica F. Muell., 41: 418
- var. bellendenkerensis Domin, 41: 418
- kerrii Craib, 41: 430
- kinnearii (F. Muell.) B. L. Burtt, 41: 418
- lanata auct. non Ridl., 41: 431
- lanata Hemsl., 22: 306; 41: 415
- lanata Ridl., 31: 36; 41: 431
- lancifolia Ridl., 41: 431
- lanuginosa K. Schum. & Lauterb., 41: 416
- lawesii H. O. Forbes, 41: 416
- leporina H. J. Lam, 41: 431
- macrophylla Drake, 41: 438
- magellanica Lam., 21: 194; 41: 413, 416
- mairei Lév., 22: 306; 41: 421
- martinii Lév., 41: 432
- microcarpa Drake, 41: 433
- minahassae Teysm. & Binn., 41: 433
- minor Barnett, 41: 433
- minutiflora Ridley, 41: 420
- mollis Schltr., 41: 417
- multiflora R. Br., 21: 194; 41: 422, 434
- var. burmannica C. B. Cl., 41: 434
- paniculata Ridl., 30: 4; 41: 434
- parviflora Ridley, 41: 435
- patens Ridley, 41: 435
- philippensis C. B. Cl., 41: 418
- plantaginea (Smith) Pers., 41: 421
- poilanei Pellegrin, 41: 418
- primuloides Miq., 21: 206; 22: 303; 41: 422
- prolixa C. B. Cl., 41: 435
- pseudoglandulosa Elmer, 41: 418
- punctata (Ruiz & Pavon) Pers., 41: 422
- reticulata Barnett, 41: 434
- rosselensis B. L. Burtt, 41: 417
- rubicunda Lév., 41: 422
- rufescens Franch., 41: 436
- speciosa Rech., 41: 438
- speluncarum B. L. Burtt, 31: 36; 41: 438
- suffruticosa Ridl., 30: 5; 41: 439
- swinhoei Hance, 41: 439
- thirionii Lév., 41: 439
- thorelii Pellegrin, 41: 440
- treubii auct., 41: 428
- treubii H. O. Forbes, 30: 4; 31: 37; 41: 440
- triandra (Cav.) Pers., 41: 422
- umbellata Drake, 41: 440
- urvillei C. B. Cl., 22: 549; 41: 418
- verticillata Ridl., 30: 5; 31: 38; 41: 441
- violacea (Cav.) Pers., 41: 422
- wallichii R. Br., 41: 419
- warburgii Schltr., 41: 416
- Boeica C. B. Cl., 24: 213; 35: 369
- brachyandra Ridl., 35: 370
- confertiflora (Drake) Pellegrin, 24: 49
- fulva C. B. Cl., 35: 369
- guileana B. L. Burtt, 35: 371
- hirsuta C. B. Cl., 35: 369
- nutans Ridl., 35: 372
- porosa C. B. Cl., 35: 369
- tonkinensis (Kraenzl.) B. L. Burtt, 35: 373
- Bournea Oliv., 22: 314; 24: 211
- Brachistemon Hand.-Mazz., 21: 187; 22: 292
- macrocalyx Hand.-Mazz., 22: 298
- Brandisia Hook. F. & Thoms., 24: 217
- Briggsia Craib, 21: 188, 195; 24: 212, 213, 215
- amabilis Diels, 24: 215; 34: 104
- aurantiaca B. L. Burtt, 21: 237; 24: 215
- cavaleriei (Lévl. & Van.) Craib, 22: 310; 34: 104
- kurzii (C. B. Cl.) W. E. Evans, 21: 200; 24: 215, 217; 34: 104
- longifolia Craib, 21: 195
- musciicola (Diels) Craib, 21: 235
- penlopi C. E. C. Fischer, 21: 236
- rosthornii (Diels) B. L. Burtt, 22: 306
- Brookea Benth., 24: 217
- Busea ? asperifolia (Bl.) Miq., 24: 41
- Buxiphyllum W. T. Wang & C. Z. Gao, 41: 401, 422
- velutinum W. T. Wang & C. Z. Gao, 41: 422, 440
- Calceolaria biflora Lam., 41: 421
- petioalaris Cav., 41: 420
- Calosacme acuminata Wall., 22: 307
- Cathayanthe Chun, 24: 212
- Celsia L., 30: 5
- Ceratosephus Chun, 21: 209
- caeruleus Chun, 21: 209, 212
- Championia Gardn., 24: 213
- Charadrophila Marloth, 24: 217
- Cheilosandra Lindley, 24: 36
- Chiliandra Griffith, 24: 36
- Chirita D. Don, 21: 195; 24: 213, 214, 215; 26: 261
- sect. Bilabium (Miq.) C. B. Cl., 21: 196
- sect. Euchirita C. B. Cl., 21: 195
- sect. Gibbosaccus C. B. Cl., 21: 196; 24: 215
- sect. Liebigia (Endl.) C. B. Cl., 21: 195
- sect. Microchirita C. B. Cl., 21: 196; 24: 215; 26: 268
- acaulis Merrill, 22: 303
- acuminata R. Br., 22: 307
- adenocalyx Chatterjee, 26: 261
- anachoreta Hance, 26: 264
- aratriformis D. Wood, 31: 367
- asperifolia (Bl.) B. L. Burtt, 24: 41
- balansae Drake, 23: 98
- barbata Sprague, 24: 41
- bifolia D. Don, 26: 264
- bilabium C. B. Cl., 21: 196
- bimaculata D. Wood, 31: 368
- blumei C. B. Cl., 21: 195; 24: 41
- bracteosa Drake, 23: 98
- bracteosa (Zoll.) Miq., 23: 98
- brevipes Pellegrin, 21: 210
- caliginosa C. B. Cl., 26: 268
- capitis Craib, 30: 3

- ceratoscyphus* B. L. Burtt, 21: 212
chanetii Lévl., 23: 96
chlamydata W. W. Sm., 23: 96, 100
communis Gardner, 23: 101
communis Morren, 23: 101
cristata (Dalzell) B. L. Burtt, 23: 96
cyanea (Ridl.) B. L. Burtt, 26: 267
cynostyla B. L. Burtt, 23: 96
dalzielii W. W. Sm., 22: 303
dielsii (Borza) B. L. Burtt, 23: 97
drakei B. L. Burtt, 23: 98
fordii (Hemsl.) D. Wood, 31: 371
fusca C. B. Cl., 26: 268
gemella D. Wood, 31: 370
hamosa R. Br., 21: 196
 var. *unifolia* C. B. Cl., 30: 3
heterostigma B. L. Burtt, 26: 262
heucherifolia (Hand.-Mazz.) D. Wood, 31: 371
humilis Miq., 24: 43
kurzii (C. B. Cl.) C. B. Cl., 34: 104
lacei (W. W. Smith) B. L. Burtt, 21: 187
lacunosa (Hook. f.) B. L. Burtt, 26: 267
lavandulacea Stapf, 23: 98
limans (Miq.) B. L. Burtt, 21: 196
longipedicellata B. L. Burtt, 26: 264
macrophylla Wall., 21: 210; 25: 262; 31: 46
micromusa B. L. Burtt, 30: 3
minutiflora D. Wood, 31: 370
mollissima Ridl., 26: 268
oblongifolia (Roxb.) B. L. Burtt, 22: 307
orbicularis W. W. Sm., 23: 97
peduncularis B. L. Burtt, 26: 265
pellegriniana B. L. Burtt, 23: 98
pinnatifida (Hand.-Mazz.) B. L. Burtt, 23: 99
primuloides (Miq.) Ohwi, 22: 303
pumila D. Don, 21: 210; 26: 265
purpureo-lineata (Kerr) D. Wood 31: 371
quercifolia D. Wood, 31: 369
reptans B. L. Burtt & Panigrahi, 26: 265
rotundifolia (Hemsl.) D. Wood, 31: 371
sericea Ridl., 26: 268
sinensis Lindl., 21: 196; 26: 264
speciosa Kurz, 21: 195, 210; 26: 264
speluncae (Hand.-Mazz.) D. Wood, 31: 370
stolonifera Fischer & Kaul, 26: 266
subacaulis (Hand.-Mazz.) B. L. Burtt, 23: 99
tibetica (Franchet) B. L. Burtt, 23: 99
trailliana Forr. & W. W. Sm., 21: 210; 26: 264
umbicola W. W. Sm., 21: 210; 26: 267
uniflora Ridl., 23: 97
urticifolia D. Don, 21: 195, 210; 26: 264
vestita D. Wood, 31: 369
viola Ridl., 26: 268
vulgaris Morren, 23: 101
zeylanica Hook., 23: 101
Chlamydoxoea Stapf, 21: 196; 24: 214; 41: 401, 422
 connata Craib, 41: 448
 sinensis (Oliv.) Stapf, 21: 196; 41: 422, 438
Clerodendrum minahassae Teysm. & Binn., 23: 96
Codonoboea Ridl., 24: 214
leucocodon (Ridley) Ridley, 41: 431
Columnnea L., 28: 221
Conandron Sieb. & Zucc., 24: 211; 28: 217; 30: 7
 ramondoides Sieb. & Zucc., 30: 7
Corallodiscus Batalin, 21: 185, 188; 24: 212
conchifolius Batalin, 22: 307
forrestii (Anth.) B. L. Burtt, 22: 307
lanuginosus (DC.) B. L. Burtt, 21: 199
Corisanthera vestita Griffith, 24: 39
Coronanthera C. B. Cl., 24: 216; 30: 7
Corysanthera Endl., 24: 36
 elliptica (Wall.) D. F. N. Dietrich, 24: 37
Cotylanthera Bl., 30: 1
Cyrtandra J. R. & G. Forst., 24: 208; 28: 221; 30: 2, 11; 32: 397; 36: 157
 subgen. *Glossophora* Schltr., 28: 221
 adnata B. L. Burtt, 30: 24
 ammitophila B. L. Burtt, 36: 158
 andersonii B. L. Burtt, 30: 25
 angularis Elmer, 30: 26; 36: 157, 170
 anisopoda Kr., 36: 158
 areolata (Stapf) B. L. Burtt, 30: 26
 argentea B. L. Burtt, 36: 159
 atrachos C. B. Cl., 36: 160
 auriculata C. B. Cl., 31: 39
 axillaris C. B. Cl., 30: 26
 bracheia B. L. Burtt, 30: 27
 bracteata Warb., 28: 221
 calciophila B. L. Burtt, 36: 161, 168
 chaiana B. L. Burtt, 36: 162
 chrysea C. B. Cl., 36: 163
 copelandii Elm., 24: 37
 cretacea Kraenzlin, 30: 28
 cuprea B. L. Burtt, 36: 164
 cupulata Ridl., 36: 170
 cymosa Forst., 28: 221
 debilis Kr., 36: 158
 decurrens De Vriese, 30: 27, 28; 37: 153
 var. *puncticulata* C. B. Cl., 30: 29
 var. *wallichii* C. B. Cl., 36: 179
 didissandriiformis Merrill, 30: 26
 digitaliflora B. L. Burtt, 30: 28
 dilatata C. B. Cl., 36: 157, 164, 168
 dispar DC., 36: 165
 disparoides B. L. Burtt, 36: 165
 dolichocarpa Kraenzlin, 24: 209; 28: 224
 elatostemoides Elmer, 30: 29; 36: 166
 erectipila B. L. Burtt, 30: 29; 36: 173
 eximia C. B. Cl., 30: 30; 36: 163
 farinosa C. B. Cl., 30: 31
 gibbsiae S. Moore, 30: 31; 36: 166
 gillettiana B. L. Burtt, 36: 165
 gitingensis Elmer, 30: 39
 gracilentia Kraenzlin, 30: 32; 36: 168
 grandiflora Gaud., 36: 179
 grandiflora Ridl., 36: 179
 grandis Kraenzlin 30: 39

- hillii* Lévl., 24: 38
hololeuca B. L. Burtt, 36: 166
horizontalis B. L. Burtt, 30: 32
hoseana B. L. Burtt, 30: 33
impar Kraenzlin, 30: 33
incrustedata B. L. Burtt, 36: 167
lambirensis B. L. Burtt, 30: 34
latens C. B. Cl., 30: 34
leucochlamys B. L. Burtt, 36: 169
mamillata Hall. f., 30: 38
martinii B. L. Burtt, 36: 170
megalocrater Kraenzlin, 30: 35
microcalyx Kr., 36: 158
mirabilis C. B. Cl., 30: 35; 36: 157, 161
multibracteata C. B. Cl., 30: 36
muluensis B. L. Burtt, 36: 171
oblongifolia (Bl.) C. B. Cl., 30: 36; 36: 157, 170, 177
occidentalis Balakr. & Burtt, 37: 153
ochroleuca B. L. Burtt, 36: 172
parksii Setchell, 28: 218
patula Ridl., 36: 165
peltata Jack, 36: 173
penduliflora Kraenzlin, 30: 36
pilosa auctt., 36: 178, 179
pilosa Bl., 30: 37
poikilophylla Kraenzlin, 36: 172
punctatissima Kraenzlin, 36: 158
quinquenotata Kraenzlin, 30: 37; 36: 166
radiciflora C. B. Cl., 30: 37; 36: 158
sarawakensis C. B. Cl., 30: 38
schizostyla C. B. Cl., 30: 38; 36: 165
scutata S. Moore, 36: 173
scutifolia B. L. Burtt, 36: 173
serrato-bracteata Lauterb., 36: 157, 170
smithiana B. L. Burtt, 36: 173
spelaea B. L. Burtt, 36: 168, 174
splendens C. B. Cl., 30: 38
subgrandis B. L. Burtt, 30: 39
tarsodes B. L. Burtt, 31: 38
thamnodes B. L. Burtt, 36: 177
todaiensis Kanehira, 30: 8
trisepta C. B. Cl., 30: 39
urceolata C. B. Cl., 36: 177
velutina C. B. Cl., 30: 40
verrucosissima Kraenzl., 36: 178
villosissima Merrill, 22: 64
vulpina (Kraenzl.) B. L. Burtt, 36: 178
wallichii (C. B. Cl.) B. L. Burtt, 36: 179
warburgiana Lauterbach, 30: 40
woodsii B. L. Burtt, 30: 41
- Cyrtandraceae Jack, 24: 205
 tribe *Trichosporeae* Nees, 33: 471
 Cyrtandroidea F. Brown, 28: 217
 Cyrtandroidea tribe *Championae* K. Fritsch, 24: 211
 tribe *Cyrtandreae*, 24: 207
 tribe *Didymocarpeae* Endl., 24: 207
 tribe *Hemiboeae* K. Fritsch, 24: 211
 tribe *Klugiae* K. Fritsch, 24: 207, 209
 tribe *Loxoniae* B. L. Burtt, 24: 207, 210
 tribe *Ramondiae* K. Fritsch, 24: 211
 tribe *Streptocarpeae* K. Fritsch, 24: 211
 tribe *Trichosporeae* K. Fritsch, 24: 207, 208; 28: 219; 29: 39
 subtr. *Aeschyantheae* A. DC., 24: 208
 subtr. *Championae* K. Fritsch, 24: 211
 subtr. *Conandrinae* K. Fritsch, 24: 211
 subtr. *Didymocarpeae* G. Don, 24: 211
 subtr. *Eudidymocarpeae* DC., 24: 211
 subtr. *Leptoboeae* C. B. Cl., 24: 211
 subtr. *Liebigeae* A. DC., 24: 211
 subtr. *Loxocarpeae* A. DC., 24: 211
 subtr. *Lysionoteae* A. DC., 24: 208
 subtr. *Oreocharidinae* K. Fritsch, 24: 211
 subtr. *Ramondae* A. DC., 24: 211
 subtr. *Roettlerinae* K. Fritsch, 24: 211
 subtr. *Trichosporeae* G. Don, 24: 208
 subtr. *Trisepalinae* K. Fritsch, 24: 211
 Cyrtandromoea Zoll., 24: 207, 210, 217
 Cyrtandropsis Lauterb., 24: 208
- Damrongia Craib, 24: 215
kerrii (Craib) Pellegrin, 22: 312
purpureo-lineata Kerr, 31: 371
 Dasydesmus Craib, 24: 212
 Decaisnea Hook. f. & Thoms., 22: 61
 Depanthus S. Moore, 24: 216; 28: 217; 30: 8
glaber (C. B. Cl.) S. Moore, 30: 8
Dichiloboea Stapf, 21: 196; 24: 214; 41: 401, 441
acaulis Barnett, 41: 443
albida Barnett, 41: 445
birmanica (Craib) Stapf, 21: 196; 41: 441, 446
glabrescens Barnett, 41: 444
glandulifera Barnett, 41: 448
speciosa (Ridl.) Stapf, 31: 39; 41: 445
strobilacea Barnett, 41: 445
Dichrotrichum de Vriesse, 24: 208; 28: 219, 220, 223
 sect. *Agalmypsis* Schltr., 24: 209; 28: 223
asperifolium (Bl.) C. B. Cl., 24: 41
borneense Schltr., 28: 220, 224
bracteatum Stapf, 28: 220, 224
brevipes C. B. Cl., 28: 220
brownei (Koorders) B. L. Burtt, 24: 141
chalmersii F. Muell., 28: 221
clarkei Elmer, 28: 224
griffithii (Wight) C. B. Cl., 34: 104
johannis-winkleri Kraenzl., 28: 224
praelongum Kraenzl., 28: 224
ternatum Reinw., 28: 220
tuberculatum (Hook. f.) Benth., 28: 219
villosum Schltr., 28: 219
 Didissandra C. B. Cl., 21: 185, 196; 24: 212, 213, 215
 sect. *Boeoides* (Benth.) C. B. Cl., 21: 199
 sect. *Chiritoides* K. Fritsch, 21: 197; 26: 264
 sect. *Cyrtandroides* C. B. Cl., 21: 197
 sect. *Elongatae* C. B. Cl., 21: 197
 sect. *Eudidissandra* K. Fritsch, 21: 197
 sect. *Speciosae* Ridley, 21: 197

- sect. *Stilpnothrix* C. B. Cl., 21: 197; 31: 40
amabilis Diels, 34: 104
aurea (Dunn) B. L. Burtt, 34: 105
begoniifolia Lévl. 23: 100; 28: 220; 34: 105
cavaleriei Lévl. & Van., 22: 310; 34: 104
clarkei Koorders, 23: 95
confertiflora Drake, 24: 49
elongata (Jack) C. B. Cl., 21: 197; 31: 40
fargesii Franch., 23: 92
filicina Ridl., 23: 100; 31: 50
forrestii Anth., 22: 307
frutescens (Jack) C. B. Cl., 21: 196
girdalii Diels, 23: 92
glandulosa Batalin, 23: 92
lancifolia Franch., 22: 305
lanuginosa (DC.) C. B. Cl., 21: 199
morganii Franch., 23: 100; 31: 50
musciola Diels, 21: 235
novoguineensis Kanehira & Hatusima, 23: 95
ornata C. B. Cl., 21: 197; 31: 40
parviflora Ridley, 23: 95
primuliflora Batalin, 23: 93
rosthornii Diels, 22: 306
rufa C. B. Cl., 24: 42; 31: 40; 35: 370, 373
sesquifolia C. B. Cl., 21: 197; 26: 264
synaptica B. L. Burtt, 36: 374
tenella C. B. Cl., 31: 41
triflora C. B. Cl., 24: 43
Didymocarpaceae D. Don, 24: 210
Didymocarpus Wall., 21: 198; 24: 214, 215; 30: 7; 33: 265; 36: 151
 subgen. *Chirita* (D. Don) Chun, 21: 195
 sect. *Acaules* Ridl., 21: 203
 sect. *Boeoides* Benth., 21: 199
 sect. *Boeopsis* Ridley, 21: 203
 sect. *Didymanthus* C. B. Cl., 21: 202
 sect. *Didymocarpus*, 24: 215
 sect. *Elati* Ridl., 21: 204
 sect. *Euchirita* (C. B. Cl.) Chun, 21: 195
 sect. *Eudidymocarpus* Benth., 21: 199
 sect. *Heteroboaea* Benth., 21: 199
 sect. *Hova* C. B. Cl., 21: 203
 sect. *Kompsoboaea* C. B. Cl., 21: 202
 sect. *Loxocarpus* (R. Br.) Benth., 21: 201
 sect. *Microchirita* (C. B. Cl.) Chun, 21: 196
 sect. *Monophylloides* C. B. Cl., 21: 201
 sect. *Orthoboaea* Benth., 21: 200; 24: 215
 sect. *Paraboaea* C. B. Cl., 21: 203, 206; 41: 422
 sect. *Pectinati* Ridl., 21: 204
 sect. *Petrocosmeopsis* Hand.-Mazz., 21: 205
 sect. *Reptantes* Ridl., 21: 204
 sect. *Salicini* Ridl., 21: 204, 206; 31: 43
acuminatus R. Br., 22: 307
adenocarpus C. E. C. Fischer, 21: 213
alternifolius C. B. Cl., 24: 46; 36: 151; 41: 424
areolatus Stapf, 30: 26
aromaticus Wall., 21: 198
asperifolius (Bl.) Bakh. f., 24: 41
aureus (Franch.) Lévl., 22: 305
auricula S. Moore, 21: 199, 206
azureus B. L. Burtt, 31: 44; 41: 425
bakoensis B. L. Burtt, 36: 152
balansae Pellegrin, 23: 98
barbatus Jack, 24: 41
barbinervius C. B. Cl., 21: 202
bequaertii De Wild., 33: 267
birmanicus Craib, 41: 446
brownei Koorders, 24: 41
campanulatus (Ridl.) B. L. Burtt, 31: 44; 41: 425
cavaleriei (Lévl. & Van.) Lévl., 22: 305, 310; 34: 104
cavaleriei Lévl., 22: 305; 34: 104
conicapsularis C. B. Cl., 24: 45
consobrinus Kraenzl., 24: 42
corchorifolius Wall., 21: 199, 202, 204
cordatus A. DC., 41: 427
cordatus Jack, 21: 202; 31: 43
corniculatus Jack, 21: 202
crenatus Bak., 31: 44
crinitus Jack, 21: 199, 200; 36: 153, 178
cristatus Dalzell, 23: 96
cyaneus Ridl., 26: 267
densifolius Ridl., 21: 204; 41: 427
dentatus Ridl., 21: 204
detergibilis C. B. Cl., 24: 46; 41: 427
dielsii Borza, 23: 97
doryphyllus B. L. Burtt, 23: 99
elongatus Jack, 21: 197; 31: 40
esquirolii Lévl., 22: 311
filicifolius Ridley, 41: 429
flavus Ridl., 36: 151
floribundus (Hend.) B. L. Burtt, 31: 44; 41: 429
fordii Hemsl., 31: 371
frutescens Jack, 21: 196
gambleanus C. E. C. Fischer, 21: 201
gracilipes C. B. Cl., 36: 153
grandiflorus Ridl., 23: 99
grandiflorus (Wall.) Steud., 23: 99
grandifolius (A. Dietr.) F. G. Dietr., 31: 46
grandifolius Ridl., 31: 46
griffithii Wight, 34: 104
hamosus Wall., 21: 196
helicteroides Wall., 41: 419
heterophyllus Ridl., 21: 203
heucherifolius Hand.-Mazz., 31: 371
hispidus Ridl., 36: 151
holttumii (Hend.) B. L. Burtt, 31: 44; 41: 430
humilis (Miq.) B. L. Burtt, 24: 43
inaequalis Ridl., 31: 35
incanus (R. Br.) C. B. Cl., 21: 200, 201
innominatus B. L. Burtt, 21: 201
johannis-winkleri Kraenzl., 24: 45
kamerunensis Engl., 33: 267
kinnearii F. Muell., 41: 418
kompsoboaea C. B. Cl., 21: 202
kurzii C. B. Cl., 21: 199; 34: 104
lacei W. W. Smith, 21: 186
lacunosus Hook. f., 21: 203; 26: 267

- lanceolatus* C. B. Cl., 23: 99
lanceolatus Ridl., 23: 99
lanuginosus DC., 21: 199, 206
lanuginosus Gamble, 21: 201
lawesii F. Muell., 31: 37; 41: 416
lineicapsa (C. E. C. Fischer) B. L. Burtt, 21: 187; 41: 449
longipes C. B. Cl., 21: 202, 203
longipetiolatus Merr., 22: 309
luzonensis Merrill, 24: 46
madagascariensis C. B. Cl., 21: 203
minahassae (Teysm. & Binn.) H. O. Forbes, 41: 433
minutus Kraenzlin, 24: 44, 47; 41: 433
minutus Hand.-Mazz., 21: 205; 31: 370
mollis Wallich, 21: 202
multiflorus Wall., 21: 194; 41: 434
multinervius Merr., 31: 44
murutorum B. L. Burtt, 36: 153
neurophyllus Collett & Hemsl., 41: 434
nigrescens Lévl. & Van., 22: 314; 30: 7
oblongus D. Don, 21: 198, 199
oreocharis Hance, 21: 205
papillosus Kraenzl., 24: 42
paraboea C. B. Cl., 21: 206; 31: 43; 41: 426
paraboeoides Kraenzl., 24: 46; 41: 434
paucinervius C. B. Cl., 21: 202
pectinata Oliv., 21: 204, 205
perditus Ridl., 21: 203
petiolaris C. B. Cl., 22: 309
pinnatifidus Hand.-Mazz., 23: 99
pleuropogon B. L. Burtt, 31: 44
praeteritus Burtt & Davidson, 21: 213
primuloides Kraenzlin, 24: 46; 41: 435
primuloides (Miq.) Maxim., 22: 303
pubiflorus (Ridl.) B. L. Burtt, 31: 44; 41: 435
pumilus Ridl., 21: 203
punctulatus Ridl., 21: 203
purpureobracteatus W. W. Sm., 21: 213
purpureus Ridl., 31: 35
pygmaeus C. B. Cl., 21: 202
pyroliflorus Ridley, 41: 435
regularis Ridley, 41: 435
reptans auct., 36: 154
reptans Jack, 21: 199, 204
rexii Hook., 21: 208
ridleyanus B. L. Burtt, 23: 99
rotterlianus Wall., 21: 200, 201
 var. *lanuginosus* C. B. Cl., 21: 201
 var. *tomentosus* (Wight) C. B. Cl., 21: 200
 var. *wightii* C. B. Cl., 21: 200, 201
rotundifolius Hemsl., 31: 370
rubiginosus (Ridl.) B. L. Burtt, 31: 44; 41: 436
rufescens C. B. Cl., 22: 309
rufipes C. B. Cl., 21: 202
salicinus Ridl., 21: 204; 41: 437
scabrinervius C. B. Cl., 24: 42; 35: 374
schefferi H. O. Forbes, 41: 438
scortechinii (Ridl.) B. L. Burtt, 31: 44; 41: 438
sericeus Ridl., 31: 49
serratifolius Ridl., 21: 204
serratus R. Br., 21: 202
simplex Kraenzlin, 36: 154
sinohenryi Chun, 22: 303
speluncae Hand.-Mazz., 21: 205; 31: 370
stapfii Kraenzlin, 24: 46
stolzii Engl., 33: 267
 var. *minor* Mansf., 33: 267
tahanicus B. L. Burtt, 31: 43, 46; 41: 429
tibeticus (Franch.) Hand.-Mazz., 23: 99
tiumanicus (Ridl.) B. L. Burtt, 31: 44
tomentosus Wight, 21: 200, 201
tonkinensis (Kraenzl.) Hand.-Mazz., 35: 373
triflorus (C. B. Cl.) B. L. Burtt, 24: 43
verbeniflos C. B. Cl., 22: 310
violascens Ridl., 31: 40
virginus B. L. Burtt, 36: 154
vulpinus Kraenzl., 36: 178
wightii (C. B. Cl.) Gamble, 21: 200, 201
yunnanensis (Franch.) W. W. Sm., 23: 101
Doroceras Bunge, 21: 194; 24: 216; 41: 401, 413
 crassifolium (Hemsley) Schltr., 41: 427
 hygrometricum Bunge, 21: 194; 41: 413, 419
 philippense (C. B. Cl.) Schltr., 41: 418
 rufescens (Franch.) Schltr., 41: 436
Epithema Bl., 24: 210
 involucratum (Roxb.) B. L. Burtt, 22: 308
 roxburghii DC., 22: 308
Euthamnus Schltr., 24: 208; 28: 222; 33: 474, 475
 papuanus Schltr., 28: 223
Fieldia F. Muell., 24: 205, 216
Gesneriaceae, 24: 205; 30: 1
Gesnerioideae, 24: 205, 216
 tribe Coronanthereae, 24: 205, 216
 tribe Coronanthereae subtr. *Mitrarieae*
 K. Fritsch, 24: 216
 tribe Mitrarieae, 24: 205, 207, 216
Glossanthus Benth., 24: 168
 malabaricus Benth., 24: 170
 mexicanus R. Br., 24: 168
 notonianus (Wall.) R. Br., 24: 170
Gratiola involucrata Roxb., 22: 308
Haberlea Friv., 24: 212
Hemiboea C. B. Cl., 21: 205; 24: 213
 sect. *Chromoboea* K. Fritsch, 21: 205
 sect. *Leucoboea* K. Fritsch, 21: 205
 sect. *Subcapitatae* C. B. Cl., 21: 205
 sect. *Sympodiales* C. B. Cl., 21: 205
 follicularis C. B. Cl., 21: 205
 henryi C. B. Cl., 21: 205
 subacaulis Hand.-Mazz., 23: 99
 subcapitata C. B. Cl., 21: 205
Henckelia Spreng., 21: 200
 crinita (Jack) Spreng., 21: 199

- elongata* (Jack) Spreng., 21: 197
frutescens (Jack) Spreng., 21: 196
incana (Vahl) Spreng., 21: 200
oblonga (D. Don) Spreng., 21: 198
Hexatheca C. B. Cl., 24: 207, 208, 212; 46: 53
dolichopoda B. L. Burtt, 46: 54
fulva C. B. Cl., 31: 46; 46: 56
 subsp. *beamanii* B. L. Burtt, 46: 56
johannis-winkleri Kraenzl., 31: 46; 46: 56
minor Kraenzl., 31: 47; 46: 57
Horsfieldia Chiffot, 37: 21
 javanica Chiffot, 37: 43
Iguanura Blume, 22: 61, 62
Incarvillea parasitica Roxb., 21: 231
Isanthera Nees, 24: 208
 austrokiushuensis Ohwi, 24: 39
 crenata C. B. Cl., 24: 37
 dimorpha Kraenzl., 24: 37
 discolor Maxim., 24: 37
 discolor var. *austrokiushuensis* Ohwi, 24: 39
 eximia C. B. Cl., 24: 38
 floribunda Gaertn., 24: 39
 lanata Warburg, 24: 37
 parviflora Ridl., 24: 39
 permollis Nees, 24: 39
Isometrum Craib, 21: 205; 23: 91; 24: 212
fargesii (Franch.) B. L. Burtt, 23: 92
farreri Craib, 21: 205; 23: 92
giraldii (Diels) B. L. Burtt, 23: 92
glandulosum (Batalin) Craib, 21: 205; 23: 92
leucanthum (Diels) B. L. Burtt, 23: 92
primuliflorum (Batalin) B. L. Burtt, 23: 93
Jancaea Boiss., 24: 211
Jerdonia Wight, 24: 212
Jovellana punctata Ruiz & Pavon, 41: 422
 violacea (Cav.) G. Don, 41: 422
Klugia Schlecht., 24: 167
 ampliata C. B. Cl., 24: 168
 azurea Schlecht., 24: 168
 ceylanica Gardn., 24: 170
 glabra Gardn., 24: 170
 grandiflora K. Fritsch, 24: 169
 notoniana (Wall.) A. DC., 24: 170
 notoniana var. *scabra* (Dalz.) C. B. Cl., 24: 170
 scabra (Dalz.) Dalz., 24: 170
 violacea K. Fritsch, 24: 171
 zeylanica Gardn., 24: 170
Lepanthus Ridley, 22: 292
 flexuosus Ridl., 22: 297
Leptoboea Benth., 24: 213
 ? *glabra* Kraenzl., 24: 43
Liebigia Endl., 21: 195
 speciosa (Bl.) DC., 21: 195
Linnaeopsis Engl., 24: 214, 217
 alba (E. A. Bruce) B. L. Burtt, 22: 567
 heckmaniana Engl., 22: 581
 subscandens B. L. Burtt, 22: 581
Loxocarpus R. Br., 21: 201; 22: 308; 24: 44, 214
 alatus Ind. Kew., 24: 44
 angustifolius Ridl., 24: 44; 31: 49
 argenteus B. L. Burtt, 31: 47
 caeruleus Ridl., 24: 44
 caulescens B. L. Burtt, 24: 44
 conicapsularis (C. B. Cl.) B. L. Burtt, 24: 45
 holtumii M. R. Hend., 24: 44
 incanus R. Br., 21: 200, 201; 24: 44
 longipetiolatus B. L. Burtt, 22: 309; 24: 46
 meijeri B. L. Burtt, 24: 45
 minimus Ridl., 24: 44
 papillosus M. R. Hend., 24: 44
 petiolaris (C. B. Cl.) B. L. Burtt, 22: 309
 rufescens (C. B. Cl.) B. L. Burtt, 22: 309; 24: 46
 semitortus (C. B. Cl.) Ridl., 24: 44
 sericeus Ridl., 31: 49
 stapfii (Kraenzl.) B. L. Burtt, 24: 46
 verbeniflos (C. B. Cl.) B. L. Burtt, 22: 310
Loxonia Jack, 24: 210
 acuminata R. Br., 31: 49
 alata Wall., 21: 201; 24: 44
 discolor Jack, 31: 49
 hirsuta Jack, 31: 49
Loxophyllum racemosum Bl., 31: 49
Loxostigma C. B. Cl., 24: 209; 28: 219; 29: 52; 34: 101
 aureum Dunn, 23: 100; 34: 105
 begoniifolium (Lévl.) Anth., 23: 100; 34: 105
 cavaleriei (Lévl. & Van.) B. L. Burtt, 22: 310; 24: 215; 34: 104
 forrestii Anth., 22: 310; 34: 105
 griffithii (Wight) C. B. Cl., 24: 215; 34: 103, 104
 kurzii (C. B. Cl.) B. L. Burtt, 34: 104
 mekongense (Franch.) B. L. Burtt, 22: 310; 34: 105
 sesamoides Hand.-Mazz., 22: 310; 23: 93; 34: 105
Loxotis Benth., 24: 168
 intermedia Benth., 24: 170
 obliqua (Wall.) Benth., 24: 170
Lysionotus G. Don, 24: 209; 28: 219; 29: 52
 albidus (Bl.) Bl., 33: 479
 ophiorrhizoides Hemsl., 21: 233; 22: 305
 serratus D. Don, 22: 311
Marssonina primulina Karst., 30: 9
 subacaulis (Griseb.) Urban, 30: 9
Micraeschynanthus Ridley, 24: 208; 28: 222
Mitraria Cav., 24: 216
Monophyllaea R. Br., 24: 209; 30: 3; 37: 1
 subgen. *Monophyllaea* 37: 22
 subgen. *Moultonia* (Balf. f. & W. W. Sm.) B. L. Burtt, 37: 22
 andersonii B. L. Burtt, 37: 50
 anthocrena B. L. Burtt, 37: 35
 beccarii C. B. Cl., 30: 3; 37: 28
 brevipes S. Moore, 37: 30

- caulescens B. L. Burtt, 37: 45
 cupiflora B. L. Burtt, 37: 53
 var. aggregata B. L. Burtt, 37: 54
 var. cupiflora, 37: 53
 elongata B. L. Burtt, 37: 48
 eymae B. L. Burtt, 37: 30
finisterrae Schltr., 37: 56
 fissilis B. L. Burtt, 37: 52
 furcipila Ohwi, 37: 34
 var. *pustulata* Ohwi, 37: 34
 glabra Ridl., 37: 38
 glandulosa B. L. Burtt, 37: 49
 glauca C. B. Cl., 37: 25
 var. beccarii (C. B. Cl.) B. L. Burtt, 37: 28
 var. boraginea B. L. Burtt, 37: 28
 var. glauca, 37: 26
 var. hirta B. L. Burtt, 37: 26
 var. versipes B. L. Burtt, 37: 28
 hirtella Miq., 37: 47
 hirticalyx Franch., 31: 50; 37: 39
 horsfieldii R. Br., 30: 3; 37: 21, 43
 var. hendersonii B. L. Burtt, 37: 45
 var. horsfieldii, 37: 43
 hottae B. L. Burtt, 37: 50
 insignis B. L. Burtt, 37: 54
 var. insignis, 37: 55
 var. rubriflora B. L. Burtt, 37: 55
johannis-winkleri Kraenzl., 37: 32
 kostermansii B. L. Burtt, 37: 38
 leuserensis B. L. Burtt, 37: 46
 longipes Kraenzl., 37: 41
lowii C. B. Cl., 37: 28
 merrilliana Kraenzl., 37: 32, 34
 papuana Lauterb., 37: 56
patens Ridl., 31: 50; 37: 39
 pendula B. L. Burtt, 37: 47
pygmaea C. B. Cl., 37: 43
 ramosa B. L. Burtt, 37: 36
 sarangica B. L. Burtt, 37: 43
 selaborensis B. L. Burtt, 37: 42
 singularis (Balf. f. & W. W. Sm.) B. L. Burtt, 37: 37
 var. semiflorens B. L. Burtt, 37: 37
 var. singularis, 37: 37
 stellata B. L. Burtt, 37: 35
 tenuis B. L. Burtt, 37: 41
 tetrasepala B. L. Burtt, 37: 31
 wildeana B. L. Burtt, 37: 57
Morstdorffia Steud., 21: 195
 speciosa (Bl.) Steud., 21: 195
Moultonia Balf. f. & W. W. Sm., 24: 209; 30: 3; 37: 21, 22
 singularis Balf. f. & W. W. Sm., 30: 3; 37: 37
 Napeanthus Gardn., 28: 217; 30: 9
 Negria F. Muell., 24: 216
 Opithandra B. L. Burtt, 22: 301; 24: 213
 acaulis (Merrill) B. L. Burtt, 22: 303
 dalzielii (W. W. Sm.) B. L. Burtt, 22: 303
 fargesii (Franch.) B. L. Burtt, 22: 303
 primuloides (Miquel) B. L. Burtt, 22: 303; 41: 422
 sinohenryi (Chun) B. L. Burtt, 22: 303
Orchadocarpa Ridl., 24: 213
Oreocharis Benth., 21: 188, 205; 24: 212
 subgen. *Euoreocharis* C. B. Cl., 21: 206
 subgen. *Oreocharis*, 21: 206
 subgen. *Stomactin* C. B. Cl., 21: 206
 sect. *Euoreocharis* (C. B. Cl.) K. Fritsch, 21: 206
 sect. *Stomactin* (C. B. Cl.) K. Fritsch, 21: 206
 auricula (S. Moore) C. B. Cl., 21: 206
 bentharii C. B. Cl., 21: 205, 206
 filipes Hance, 41: 429
 forrestii (Diels) Skan, 23: 101
 maximowiczii C. B. Cl., 21: 206
 primuloides (Miq.) C. B. Cl., 21: 206; 22: 301, 303
 tonkinensis Kraenzl., 35: 373
Ornithoboea C. B. Cl., 22: 287; 24: 214
 arachnoidea (Diels) Craib, 22: 294
 barbanthera B. L. Burtt, 22: 297
 darrisii (Lévl.) Craib, 22: 296
 feddei (Lévl.) B. L. Burtt, 22: 296; 41: 421
 flexuosa (Ridl.) B. L. Burtt, 22: 297
 forrestii Craib, 22: 294
 henryi Craib, 22: 297
 lacei Craib, 22: 297
 lanata Craib, 22: 294
 leptonema B. L. Burtt, 22: 295
 parishii C. B. Cl., 22: 296
 pseudoflexuosa B. L. Burtt, 22: 299
 wildeana Craib, 22: 298
Oxychlamys Schltr., 24: 208; 28: 221; 33: 474, 475
 pullei Schltr., 28: 222; 33: 475
Paraboea (C. B. Cl.) Ridley, 21: 206; 24: 46; 214; 31: 43, 50; 41: 401, 413, 422, 453
 sect. *Breviflores* Ridley, 21: 206; 41: 422
 sect. *Campanulatae* Ridl., 21: 206; 31: 43; 41: 422
 sect. *Eu-Paraboea* Ridl., 21: 206; 31: 43; 41: 422
 sect. *Paraboea*, 21: 206; 31: 43
 acutifolia (Ridl.) B. L. Burtt, 41: 423
 alternifolia (C. B. Cl.) B. L. Burtt, 24: 46; 36: 151; 41: 424
 bakeri M. R. Henderson, 41: 424
 banyengiana B. L. Burtt, 41: 424
 bettiana M. R. Henderson, 41: 420, 424
 bintangensis B. L. Burtt, 31: 51; 41: 424
 brachycarpa (Ridl.) B. L. Burtt, 41: 424
 brunneescens B. L. Burtt, 41: 424
 caerulea Ridl., 31: 44; 41: 425
 caerulescens (Ridl.) B. L. Burtt, 41: 425
 campanulata Ridley, 21: 206; 31: 44; 41: 425
 candidissima B. L. Burtt, 41: 425
 capitata Ridl., 41: 422, 426
 var. *oblongifolia* Ridl., 41: 426

- clarkei* B. L. Burtt, 21: 206; 31: 43; 41: 422, 426
cochinchinensis (C. B. Cl.) B. L. Burtt, 41: 427
cordata (A. DC.) Ridley, 21: 202; 41: 427
crassifolia (Hemsl.) B. L. Burtt, 41: 427
curtisii Ridl., 41: 426
densifolia (Ridl.) Hend., 21: 204; 41: 427
detergibilis (C. B. Cl.) B. L. Burtt, 24: 46; 41: 427
dictyoneura (Hance) B. L. Burtt, 41: 427
divaricata (Ridl.) B. L. Burtt, 41: 428
effusa B. L. Burtt, 41: 428
elegans (Ridl.) B. L. Burtt, 41: 428, 434
evrardii (Pellegrin) B. L. Burtt, 41: 428
ferruginea (Ridley) Ridley, 41: 428
filicifolia (Ridley) Ridley, 41: 429
filipes (Hance) B. L. Burtt, 41: 429
floribunda Hend., 31: 44; 41: 429
glabra (Ridl.) B. L. Burtt, 22: 311; 41: 429
glabriflora (Barnett) B. L. Burtt, 41: 429
glabrisepala B. L. Burtt, 22: 311; 41: 429
glanduliflora Barnett, 31: 50; 41: 429
grandifolia Ridl., 31: 46; 41: 429
hainanensis (Chun) B. L. Burtt, 41: 429
havilandii (Ridl.) B. L. Burtt, 41: 429
holtumii Hend., 31: 44; 41: 430
incudicarpa B. L. Burtt, 41: 430
kerrii (Craib) B. L. Burtt, 41: 428, 430
lanata (Ridley) B. L. Burtt, 41: 431
lancifolia (Ridley) B. L. Burtt, 41: 431
laxa Ridley, 41: 431
leporina (H. J. Lam) B. L. Burtt, 41: 431
leucocodon Ridley, 41: 431
leuserensis B. L. Burtt, 41: 431
luzoniensis Merr., 41: 432
martinii (Lévl.) B. L. Burtt, 41: 432
meiophylla B. L. Burtt, 41: 433
microcarpa (Drake) B. L. Burtt, 41: 433
minahassae (Teysm. & Binn.) B. L. Burtt, 41: 433
minor (Barnett) B. L. Burtt, 41: 433
minuta (Kraenzl.) B. L. Burtt, 24: 47; 41: 433
multiflora (R. Br.) B. L. Burtt, 41: 428, 433
neurophylla (Collett & Hemsley) B. L. Burtt, 41: 434
obovata Ridl., 31: 35; 41: 428, 434
paniculata (Ridley) B. L. Burtt, 41: 434
paraboeoides (Kraenzl.) B. L. Burtt, 41: 434
parviflora (Ridley) B. L. Burtt, 41: 435
patens (Ridley) B. L. Burtt, 41: 435
polita Ridl., 41: 426, 435
prolixa (C. B. Cl.) B. L. Burtt, 41: 435
pubiflora Ridl., 31: 44; 41: 435
pyroliflora (Ridley) Ridley, 41: 435
regularis (Ridley) Ridley, 41: 435
ridleyi Elmer, 41: 435
rubiginosa Ridl., 31: 44; 41: 436
rufescens (Franch.) B. L. Burtt, 38: 371; 41: 436
rupestris B. L. Burtt, 41: 436
salicina (Ridl.) Ridl., 21: 204; 41: 437
scabriflora B. L. Burtt, 41: 437
schefferi (H. O. Forbes) B. L. Burtt, 41: 438
scortechinii Ridl., 31: 44; 41: 438
sinensis (Oliv.) B. L. Burtt, 38: 471; 41: 438
speciosa (Rech.) B. L. Burtt, 41: 438
speluncarum (B. L. Burtt) B. L. Burtt, 41: 438
suffruticosa (Ridley) B. L. Burtt, 41: 439
swinhoei (Hance) B. L. Burtt, 41: 439
thirionii (Lévl.) B. L. Burtt, 41: 439
thorelii (Pellegrin) B. L. Burtt, 41: 439
tiumanica Ridl., 31: 44
tomentosa Barnett, 41: 436
treubii (H. O. Forbes) B. L. Burtt, 41: 440
umbellata (Drake) B. L. Burtt, 41: 440
velutina (W. T. Wang & C. Z. Gao) B. L. Burtt, 41: 440
verticillata (Ridley) B. L. Burtt, 41: 440
vulpina Ridley, 31: 50; 41: 441
Peranthes Craib, 21: 206
cordatula Craib, 21: 206
forrestii Craib, 21: 206
minor Craib, 21: 206
Periomphale Baill., 24: 217
Petrocodon Hance, 22: 314; 24: 213; 28: 217; 30: 7
Petrocosmea Oliv., 24: 213
ionantha (H. Wendl.) Rodigas, 22: 559
kerrii Craib, 22: 312
kingii (C. B. Cl.) Chatterjee, 41: 449
parryorum C. E. C. Fischer, 22: 312
peltata Chun & Merrill, 22: 312
wardii W. W. Sm., 22: 312
Petrodora J. Anthony, 22: 61, 63
argentea J. Anthony, 22: 61, 63
cordifolia J. Anthony, 22: 61, 63
Phylloboea Benth., 21: 207; 23: 89; 24: 214
amplexicaulis (C. B. Cl.) C. B. Cl., 21: 207; 23: 89
glandulosa B. L. Burtt, 23: 90; 41: 443
henryi Beddome, 41: 439
sinensis Oliv., 21: 196; 41: 438
speciosa Ridl., 31: 39; 41: 445
Platyadenia B. L. Burtt, 31: 51
descendens B. L. Burtt, 31: 51
Platystemma Wall., 22: 549; 24: 212
violoides Wall., 24: 217
Porodittia triandra (Cav.) G. Don, 41: 422
Primulina Hance, 24: 214
Protocytandra Hosakawa, 24: 208; 28: 220; 30: 7
todaiensis (Kanehira) Hosakawa, 30: 7
Ramonda L. C. Rich., 24: 211; 28: 217; 30: 6
Raphiocarpus Chun, 24: 213, 215
Reichsteineria Regel, 28: 221
cardinalis (Lehm.) Kuntze, 28: 221; 30: 9
lineata Helmq., 28: 221
Rehmannia Libosch., 21: 190; 24: 217

- chanetii* (Lévl.) Lévl., 23: 96
glutinosa (Gaertn.) Fisch. & Mey., 23: 96
Rhabdothermopsis Hemsl., 24: 48, 214
sinensis Hemsl., 41: 421, 422
Rhabdothermus A. Cunn., 24: 205, 216
Rhynchoglossum Bl., 24: 167, 209, 210; 30: 3
ampliatum (C. B. Cl.) B. L. Burtt, 24: 168
azureum (Schlechtend.) B. L. Burtt, 24: 168
blumei A. DC., 24: 168, 171
borneense Merrill, 24: 168
grandiflorum (K. Fritsch) B. L. Burtt, 24: 169
hologlossum Hayata, 24: 169
klugoides C. B. Cl., 24: 169
medusothrix B. L. Burtt, 24: 169
merrilliae Kraenzlin, 24: 169
notonianum (Wall.) B. L. Burtt, 24: 170
obliquum Blume, 24: 168, 170; 30: 3
 var. *parviflorum* C. B. Cl., 24: 171
obliquum (Wall.) DC., 24: 170
 var. *intermedium* (Benth.) DC., 24: 171
papuae Schltr., 24: 171
rheedei A. DC., 24: 171
sasakii Hayata, 24: 171
scabrum Dalz., 24: 170
spumosum Elmer, 24: 171
violaceum (K. Fritsch) B. L. Burtt, 24: 171
zeylanicum Hook., 24: 171
Rhynchotechum Blume, 24: 35, 208
alternifolium C. B. Cl., 24: 36
angustifolium Ridl., 24: 36
brandisii C. B. Cl., 24: 37
calycinum C. B. Cl., 24: 37
copelandii (Elm.) Merrill, 24: 37
discolor (Maxim.) B. L. Burtt, 24: 37
ellipticum (D. F. N. Dietr.) A. DC., 24: 37
eximium (C. B. Cl.) Schltr., 24: 38
formosanum Hatusima, 24: 38
hoevellianum Schltr., 24: 36
latifolium C. B. Cl., 24: 38
obovatum (Griffith) B. L. Burtt, 24: 38
parviflorum Bl., 24: 36, 38
permolle (Nees) B. L. Burtt, 24: 39
polycarpum (K. Schum.) Schltr., 24: 39
tenuis C. B. Cl., 24: 37
vestitum C. B. Cl., 24: 39
Roettlera Willd., 21: 188
Roettlera Vahl, 21: 207; 23: 100; 33: 265
 subgen. *Chirita* (D. Don) K. Fritsch, 21: 195, 207
 subgen. *Didymocarpus* (Wall.) K. Fritsch, 21: 198, 207
 sect. *Bilabium* (Miq.) K. Fritsch, 21: 196, 208
 sect. *Didymanthus* (C. B. Cl.) K. Fritsch, 21: 202, 207
 sect. *Euchirita* K. Fritsch, 21: 195, 207
 sect. *Eudidymocarpus* K. Fritsch, 21: 199, 207
 sect. *Gibbosaccus* (C. B. Cl.) K. Fritsch, 21: 196, 208
 sect. *Heteroboaea* (Benth.) K. Fritsch, 21: 199, 207
 sect. *Hova* (C. B. Cl.) K. Fritsch, 21: 203, 207
 sect. *Kompsoboaea* (C. B. Cl.) K. Fritsch, 21: 202, 207
 sect. *Liebigia* (C. B. Cl.) K. Fritsch, 21: 195, 208
 sect. *Loxocarpus* (R. Br.) K. Fritsch, 21: 201, 207
 sect. *Microchirita* (C. B. Cl.) K. Fritsch, 21: 196, 208
 sect. *Monophylloides* (C. B. Cl.) K. Fritsch, 21: 201, 207
 sect. *Orthoboaea* (Benth.) K. Fritsch, 21: 200, 207
 sect. *Paraboaea* (C. B. Cl.) K. Fritsch, 21: 206, 207; 41: 422
 sect. *Schizoboaea* K. Fritsch, 33: 265
 sect. *Trachystigma* (C. B. Cl.) K. Fritsch, 21: 208
alata O. Kuntze, 21: 201
aurea Franch., 22: 305; 25: 101
corchorifolia (DC.) O. Kuntze, 21: 204
crinita (Jack) O. Kuntze, 21: 199
fargesii Franch., 22: 303; 23: 101
forrestii Diels, 23: 101
hamosa (R. Br.) O. Kuntze, 21: 196
incana Vahl, 21: 200
kamerunensis (Engl.) K. Fritsch, 33: 267
kinnearii (F. Muell.) K. Fritsch, 41: 418
kompsoboaea (C. B. Cl.) O. Kuntze, 21: 202
limans (Miq.) O. Kuntze, 21: 196
longipes (C. B. Cl.) O. Kuntze, 21: 203
madagascariensis (C. B. Cl.) K. Fritsch, 21: 203
mannii (C. B. Cl.) K. Fritsch, 21: 208
mekongensis Franch., 22: 310; 23: 101; 34: 105
morreniana Voss, 23: 101
oblonga (D. Don) O. Kuntze, 21: 198
paraboaea (C. B. Cl.) O. Kuntze, 21: 206
pygmaea (C. B. Cl.) O. Kuntze, 21: 202
reptans (Jack) O. Kuntze, 21: 204
sinensis (Lindl.) O. Kuntze, 21: 196
tibetica Franchet, 23: 99, 101
uniflora Franch., 23: 97, 101
urticifolia (D. Don) O. Kuntze, 21: 195
yunnanensis Franch., 23: 101
Rottlera Vahl, 33: 265
Saintpaulia H. Wendland, 22: 547; 24: 213; 25: 191; 33: 265
alba E. A. Bruce, 22: 567
amaniensis E. Roberts, 22: 566; 25: 195
brevipilosa B. L. Burtt, 25: 193
confusa B. L. Burtt, 22: 566
difficilis B. L. Burtt, 22: 565
diplotricha B. L. Burtt, 22: 563
goetzeana Engl., 22: 562
grandifolia B. L. Burtt, 22: 560
grotei Engl., 22: 566

- inconspicua* B. L. Burtt, 22: 557; 33: 265
intermedia B. L. Burtt, 22: 562
ionantha H. Wendland, 22: 559; 30: 9
kewensis C. B. Cl., 22: 559
magungensis E. Roberts, 22: 567
 var. *minima* B. L. Burtt, 25: 195
 var. *occidentalis* B. L. Burtt, 25: 195
nitida B. L. Burtt, 22: 564
orbicularis B. L. Burtt, 22: 564
 var. *purpurea* B. L. Burtt, 25: 194
pendula B. L. Burtt, 22: 561
 var. *kizarae* B. L. Burtt, 25: 193
pusilla Engl., 22: 558
rupicola B. L. Burtt, 25: 193
shumensis B. L. Burtt, 21: 238; 22: 558
teitensis B. L. Burtt, 22: 559; 25: 192
tongwensis B. L. Burtt, 22: 560
velutina B. L. Burtt, 22: 563; 25: 194
Saintipaulopsis Staner, 22: 313; 23: 94
 lebrunii Staner, 22: 313
Sarmienta Ruiz & Pavon, 22: 416
Schizoboea (K. Fritsch) B. L. Burtt, 33: 265
 kamerunensis (Engl.) B. L. Burtt, 33: 266
Sepikaea Schltr., 24: 208
Sinningia speciosa (Lodd.) Hiern, 30: 9
Sinoboea Chun, 22: 292
 microcarpa Chun, 22: 296
Siphoboea Baillon, 23: 95
 commersonii Baill., 23: 95, 96
Slackia W. Griffith (1848), 22: 6, 62
Slackia W. Griffith (1851), 22: 62
Slackia W. Griffith (1854), 22: 62
 griffithii C. B. Cl., 22: 64
 philippinensis Kraenzlin, 22: 61, 64
 sinensis Chun, 22: 63
 tonkinensis Pellegrin, 22: 61, 64
Sonerila calophylla Ridl., 31: 35
 congesta Stapf, 31: 35
Stauranthera Benth., 24: 210
 brandisii C. B. Cl., 24: 37
Staurogyne Wall., 23: 94
 bullata Bremekamp, 23: 95
 lebrunii (Staner) B. L. Burtt, 22: 313
 macrantha C. B. Cl., 23: 94; 36: 151
 merguensis (T. And.) O. Kuntze, 31: 36
 novoguineensis (Kanehira & Hatusima) B. L. Burtt, 23: 95
 serrulata C. B. Cl., 23: 94; 36: 151
 sesamoides (Hand.-Mazz.) B. L. Burtt, 22: 311; 34: 105
Streptocarpus Lindl., 21: 208; 24: 215; 41: 401
 subgen. *Eustreptocarpus* K. Fritsch, 21: 208
 subgen. *Streptocarpella* K. Fritsch, 21: 208; 30: 4
 subgen. *Streptocarpus*, 21: 208; 30: 4
 sect. *Caulescentes* K. Fritsch, 21: 208
 sect. *Rosulati* K. Fritsch, 21: 208
 sect. *Unifoliati* K. Fritsch, 21: 208
 arcuatus Hilliard & Burtt, 43: 229
 bambuseti B. L. Burtt, 22: 574
 breviflos C. B. Cl., 22: 569
 burmanicus Craib, 24: 48
 caulescens Vatke, 21: 208; 30: 4
 var. *pallidiflorus* Engler, 43: 231
 forma *pallidiflorus* (Engl.) Engl., 43: 232
 clarkeanus (Hemsl.) Hilliard & Burtt, 41: 421
 compressus B. L. Burtt, 22: 570
 confusus
 subsp. *lebomboensis* Hilliard & Burtt, 28: 209
 cooksonii B. L. Burtt, 21: 239
 cyanandrus B. L. Burtt, 24: 47
 cyaneus S. Moore, 24: 43
 dolichanthus Hilliard & Burtt, 43: 230
 erubescens Hilliard & Burtt, 28: 210
 eylesii
 subsp. *brevistylus* Hilliard & Burtt, 28: 210; 46: 321
 subsp. *silvicola* Hilliard & Burtt, 43: 231
 goetzei Engl., 22: 571; 46: 321
 gonjaensis Engl., 22: 575
 hirticapsa B. L. Burtt, 28: 211, 46: 321
 katangensis De Wild. & Th. Dur., 22: 569
 kimbozanus B. L. Burtt, 22: 575
 kungwensis Hilliard & Burtt, 28: 212
 latens Hilliard & Burtt, 28: 211
 leptopus Hilliard & Burtt, 28: 212
 lujae De Wild., 22: 571
 mahonii Hook. f., 22: 571
 montis-bingae Hilliard & Burtt, 46: 321
 myoporoides Hilliard & Burtt, 28: 213
 nimbicola Hilliard & Burtt, 28: 214
 nobilis C. B. Cl., 30: 3
 orientalis Craib, 24: 48
 pallidiflorus C. B. Cl., 43: 231
 parensis B. L. Burtt, 22: 576
 phaeotrichus B. L. Burtt, 23: 101
 pogonites Hilliard & Burtt, 28: 214
 polackii B. L. Burtt, 24: 43
 polyanthus Hook., 21: 208
 primulifolius
 subsp. *formosus* Hilliard & Burtt, 28: 215
 rexii (Hook.) Lindl., 21: 208
 rhodesianus S. Moore, 46: 321
 rungwensis Engl., 22: 571
 sinensis Franch., 24: 48
 solenanthus Mansf., 22: 572
 stomandra B. L. Burtt, 22: 577
 sumatranus B. L. Burtt, 24: 48
 thysanotus Hilliard & Burtt, 33: 467
 tubiflos C. B. Cl., 22: 569
 wittei De Wild., 22: 573
 zimmermannii Engl., 22: 578

Tengia Chun, 24: 211; 30: 7
 scopulorum Chun, 22: 314
Tetradema Schltr., 24: 209; 28: 223
 asperifolium (Bl.) Schltr., 24: 41
 clarkei (Elmer) Merrill, 28: 224

- praelongum* (Kraenzl.) Schltr., 24: 209; 28: 224
rubrum (Merr.) Schltr., 24: 209; 28: 224
tuberculatum (Hook. f.) Schltr., 28: 219
Tetraphyllum C. B. Cl., 24: 214
bengalense C. B. Cl., 21: 207; 24: 37
confertiflorum (Drake) B. L. Burtt, 24: 49
Titanotrichum Solereder, 21: 190; 24: 207, 216
Trachystigma C. B. Cl., 21: 208; 24: 213
mannii C. B. Cl., 21: 208
Tremacron Craib, 21: 188; 24: 212
Trienophora (Hook. f.) Soler., 21: 190
Trichosporium D. Don, 33: 471, 475
albidum (Bl.) Nees, 33: 479
asclepioides Elmer, 33: 480
brachysepalum Merr., 33: 481
coccineum Fritsch, 22: 315
fraserianum (Kraenzl.) Merrill, 33: 480
grandiflorum D. Don, 21: 231; 33: 475
irigaense Merrill, 33: 486
miniatum Elmer, 33: 486
motleyi (C. B. Cl.) O. Kuntze, 33: 480
parviflorum D. Don, 33: 475
rubrum Merrill, 28: 224
Trisepalum C. B. Cl., 24: 214, 215; 41: 401, 413, 441, 453
acaule (Barnett) B. L. Burtt, 41: 443
acutum C. B. Cl., 21: 207; 41: 448
albidum (Barnett) B. L. Burtt, 41: 445
amplexicaule (C. B. Cl.) B. L. Burtt, 41: 445
birmanicum (Craib) B. L. Burtt, 41: 446
(Chlamydobera connata Craib), 41: 448
glabrescens (Barnett) B. L. Burtt, 41: 444
glanduliferum (Barnett) B. L. Burtt, 41: 448
kingii C. B. Cl., 22: 313; 41: 449
lineicapsa C. E. C. Fischer, 21: 187; 41: 449
longipetiolatum B. L. Burtt, 41: 447
obtusum C. B. Cl., 21: 207; 41: 441, 442
prazeri B. L. Burtt, 41: 447
robustum B. L. Burtt, 41: 443
speciosum (Ridley) B. L. Burtt, 41: 445
strobilaceum (Barnett) B. L. Burtt, 41: 445
subplanum B. L. Burtt, 41: 443
Trommsdorffia Bernh., 21: 195
Trommsdorffia Blume, 21: 195
speciosa Blume, 21: 195; 24: 41
Verbascum L., 30: 5, 9
Whitia oblongifolia Blume, 30: 36
Whytockia W. W. Sm., 24: 210
sasakii (Hayata) B. L. Burtt, 24: 171
Wightia Wall., 24: 217
Wulfenia obliqua Wall., 24: 170